

# SMA Tee Adapter Male-Male-Male



# **TECHNICAL DATA SHEET**

**PE9379** 

## **SMA Tee Adapter Male-Male-Male**

## Configuration

Connector 1 SMA Male
Impedance 1 50 Ohms
Connector 2 SMA Male
Impedance 2 50 Ohms
Connector 3 SMA Male
Adapter Design Standard
Body Style Straight

## **Mechanical Specifications**

#### Size

 Length, in [mm]
 1.1 [27.94]

 Width/Dia., in [mm]
 0.312 [7.92]

 Height, in [mm]
 0.7 [17.78]

#### **Connector 1**

Type SMA Male
Inner Conductor Material and Plating Gold
Coupling Nut Material and Plating Brass, Nickel
Hex Size, in. 5/16
Torque, in-lbs [Nm] 5 [0.57]
Body Material and Plating Brass, Nickel
Dielectric Type PTFE

#### Connector 2

Type SMA Male Inner Conductor Material and Plating Gold Coupling Nut Material and Plating Brass, Nickel Hex Size, in. 5/16

Torque, in-lbs [Nm] 5 [0.57]

Body Material and Plating Brass, Nickel Dielectric Type PTFE

### **Connector 3**

Type SMA Male
Inner Conductor Material and Plating Gold
Coupling Nut Material and Plating Brass, Nickel
Hex Size, in. 5/16
Body Material and Plating Brass, Nickel
Dielectric Type PTFE

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Tee Adapter Male-Male PE9379

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.

ISO 9001 : 2008 Registered



# SMA Tee Adapter Male-Male-Male



# **TECHNICAL DATA SHEET**

PE9379

Compliance Certifications (visit www.Pasternack.com for current document)

RoHS Compliant

Yes

**Plotted and Other Data** 

Notes: Values at 25 °C, sea level

URL: http://www.pasternack.com/sma-male-male-male-tee-adapter-pe9379-p.aspx

SMA Tee Adapter Male-Male-Male from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and fiber optic products maintain a 99% availability and are part of the broadest selection in the industry.

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.



# PE9379 CAD Drawing

SMA Tee Adapter Male-Male

