

Power It! Safety Power Strip with 6 Outlets and 9-ft. Cord with GFCI Plug

MODEL NUMBER: TLM609GF



Highlights

- 6 outlets (including transformer outlets and 4 safety covers)
- 9 ft. cord with GFCI plug
- Cord wrap with hang holes
- Rugged metal case

Applications

- Industrial
- Automotive
- Factory
- Hardware

Package Includes

- TLM609GF Safety Power Strip
- 4 safety covers
- Owner's manual

Description

This Tripp Lite power strip is designed to safely distribute power to connected equipment in harsh environments. It provides a convenient source for multiple outlets wherever they're needed. 6 outlets distribute AC power to a wide range of power tools, drill presses, air compressors, power sanders and more. Convenient transformer outlets accommodate multiple transformers without blocking other outlets. A 9 ft. grounded cord with integrated cord clip reaches distant outlets. A GFCI plug protects users from electrical shock in wet or humid environments. A lighted on/off switch provides power control over connected equipment. 4 safety covers shield unused outlets from debris and accidental contact. A rugged metal case stands up to the harshest environments. Built-in cord wrap with hang holes provides convenient cord management. Integrated keyhole slots on bottom panel provide convenient wall/desk mounting. Its bright yellow color alerts you and others that power cords and tools are in use.

Features

- 6 outlets distribute AC power to a wide range of band saws, drill presses, air compressors, power sanders and more.
- Convenient transformer outlets accommodate multiple transformers without blocking other outlets.
- A 9 ft. grounded cord with integrated cord clip reaches distant outlets.
- A GFCI plug protects users from electrical shock in wet or humid environments.
- A lighted on/off switch with integrated 15 amp circuit breaker provides power control and overload protection over connected equipment.
- 4 safety covers shield unused outlets from debris and accidental contact.
- A rugged metal case stands up to the harshest environments.
- Built-in cord wrap with hang holes provides convenient cord management.
- Integrated keyhole slots on bottom panel provide convenient wall/desk mounting.
- Its bright yellow color alerts you and others that power cords and tools are in use.
- OSHA color guidelines, outlined in Document 1910.145, alert users to hazardous situations, which may cause minor or moderate injury. This Tripp Lite product complies with those guidelines.

Specifications



| OVERVIEW | |
|------------------------------------|---|
| Intended Application | Safety; Industrial/Factory Floor |
| OUTPUT | |
| Frequency compatibility | 60 Hz |
| Circuit Breaker (amps) | 15 |
| Overload protection | GFCI plug |
| Outlet quantity / type | 6 NEMA 5-15R |
| Transformer accommodation | Yes (2) |
| Outlet safety covers | Yes (4) |
| Outlet orientation | Single row |
| INPUT | |
| Nominal Input Voltage(s) Supported | 120V AC |
| Recommended Electrical Service | 120V, 15A |
| Input connection type | GFCI 5-15P |
| Input plug features | Integrated cord clip plus GFCI breaker |
| Input cord length (ft.) | 9 |
| Input cord length (m) | 2.74 |
| Input cord gauge, type | 14 gauge, SJT |
| Voltage compatibility (VAC) | 120 |
| LEDS ALARMS & SWITCHES | |
| Switches | Combination AC circuit breaker and 2 position red illuminated on/off power switch |
| PHYSICAL | |
| Shipping Dimensions (HWD/in) | 16.17 x 7.10 x 2.7 |
| Shipping Dimensions (HWD/cm) | 41.07 x 18.03 x 6.86 |
| Shipping weight (lbs) | 3.33 |
| Shipping weight (kg) | 1.51 |
| Unit Dimensions (HWD/in) | 15.97 x 3.07 x 1.61 |
| Unit Dimensions (HWD/cm) | 40.56 x 7.80 x 4.09 |
| Unit weight (lbs) | 3.24 |
| Unit weight (kg) | 1.47 |
| Material of construction | All-metal |



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

| | |
|---|---|
| Integrated keyhole mounting tabs | Yes |
| Receptacle Color | black |
| AC line cord color | yellow |
| Style | Strip |
| Outlets center to center measurement | Distance between standard outlets = 30.40mm; Distance between standard outlets and transformer outlets = 45mm |
| Keyhole slot center to center measurement | 209.55mm |
| CERTIFICATIONS | |
| Approvals | cULus, RoHS |
| WARRANTY | |
| Product Warranty Period (Worldwide) | Lifetime limited warranty |

© 2014 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Tripp Lite:](#)

[TLM609GF](#)