







THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS CONFIDENTIAL AND A PROPERTY OF Amphenol LTW. DISCLOSURE TO THIRD PARTY HAS TO BE AUTHORIZED BY Amphenol LTW.

REV.	ECN NO.	DATE	SIGN	DESCRIPTION
A	Initial Release	2012-12-06	Fisher	Initial Release
B	LEN1310208	2013-02-20	Fisher	Change Plating and PCB Layout
C	LE313C0106	2013-12-16	Fisher	Change Plating and Package



RECOMMENDED P.C.B. LAYOUT
GENERAL TOLERANCE IS ± 0.05









- Notes:
- * Important Dimension To Check.
 - * Housing: High temperature thermoplastic. UL94V-0, color is Natural white.
 - * Terminal: Copper Alloy, Gold Plated on contact area. Tin plated on solder tails.
 - * Solder Peg: Copper Alloy, Tin plated over Nickel.

UNIT: mm		TITLE		Amphenol LTW		ITEM NO	DRAWN BY	DATE
TOLERANCE		SSL-1.1 DC JACK CONNECTOR		安費諾亮泰企業股份有限公司		SSL11-J6C00-000001	Fisher_Wang	2013-12-16
.X ±0.25		6-POS. WITH POST, SMT TYPE				DWG NO	CHECKED BY	DATE
.XX ±0.1		SCALE 5:1				SSL11-J6C00-000001	Ivan_Lin	2013-12-16
.XXX ±0.05		SIZE A4				CUSTOMER	APPROVED BY	DATE
ANGLES ±1°		REV. C				ALTW	Kevin_Hu	2013-12-16
		WC-REV. C.2						
		SHEET 1 OF 2						
		QC: Inspection item						


THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS CONFIDENTIAL AND A PROPERTY OF Amphenol LTW. DISCLOSURE TO THIRD PARTY HAS TO BE AUTHORIZED BY Amphenol LTW.

REV.	ECN NO.	DATE	SIGN	DESCRIPTION
A	Initial Release	2012-12-06	Fisher	Initial Release
B	LEN1310209	2013-02-20	Fisher	Change Plating
C	LE313C0109	2013-12-16	Fisher	Change Plating and Package



- Notes:
- * Important Dimension To Check.
 - * Housing: High temperature thermoplastic. UL94V-0, color is Natural white.
 - * Terminal: Copper Alloy, Gold Plated on contact area. Tin plated on solder tails.
 - * Solder Peg: Copper Alloy, Tin plated over Nickel.


UNIT: mm		TITLE		Amphenol LTW		ITEM NO	DRAWN BY	DATE
TOLERANCE		SSL-1.1 DC JACK CONNECTOR		安費諾亮泰企業股份有限公司		SSL11-J6D00-000001	Fisher_Wang	2013-12-16
.X ±0.25		6-POS. W/O POST, SMT TYPE				DWG NO	CHECKED BY	DATE
.XX ±0.1		SCALE 5:1				SSL11-J6D00-000001	Ivan_Lin	2013-12-16
.XXX ±0.05		SIZE A4				CUSTOMER	APPROVED BY	DATE
ANGLES ±1°		REV. C				ALTW	Kevin_Hu	2013-12-16
		WC-REV. C.2						
		SHEET 1 OF 2						
		QC: Inspection item						



MATERIALS

- QUANTITY







1. 1000Pcs Per Reel
2. 8 Reel Per Carton (8000Pcs/Carton)
3. Reference Standard: EIA-481-D
4. Net Weight: 2.2Kg/Carton.
5. Gross Weight: 6.4Kg/Carton.



A

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS CONFIDENTIAL AND A PROPERTY OF Amphenol LTW. DISCLOSURE TO THIRD PARTY HAS TO BE AUTHORIZED BY Amphenol LTW.


REV.	ECN NO.	DATE	SIGN	DESCRIPTION
A	Initial Release	2012-12-06	Fisher	Initial Release
B	LEN1310209	2013-02-20	Fisher	Change Plating
C	LE313C0109	2013-12-16	Fisher	Change Plating and Package



- Notes:
- * Important Dimension To Check.
 - * Housing: High temperature thermoplastic. UL94V-0, color is Natural white.
 - * Terminal: Copper Alloy, Gold Plated on contact area. Tin plated on solder tails.
 - * Solder Peg: Copper Alloy, Tin plated over Nickel.

UNIT: mm		TITLE		Amphenol LTW		ITEM NO	DRAWN BY	DATE
TOLERANCE		SSL-1.1 DC JACK CONNECTOR		安費諾亮泰企業股份有限公司		SSL11-J6D00-000001	Fisher_Wang	2013-12-16
.X ±0.25		6-POS. W/O POST, SMT TYPE				DWG NO	CHECKED BY	DATE
.XX ±0.1		SCALE 5:1				SSL11-J6D00-000001	Ivan_Lin	2013-12-16
.XXX ±0.05		SIZE A4						
ANGLES ±1°		SHEET 1 OF 2				CUSTOMER	APPROVED BY	DATE
		REV. C				ALTW	Kevin_Hu	2013-12-16
		WC-REV. C.2						
		QC: Inspection item						

Pull Out Direction




MATERIALS



1. Carrier Tape: Polystyren (PS)
2. Cover Tape: Polystyren (PS)
3. Reel: Polystyren (PS)

QUANTITY



1. 1000Pcs Per Reel
2. 8 Reel Per Carton (8000Pcs/Carton)
3. Reference Standard: EIA-481-D
4. Net Weight: 2.2Kg/Carton.
5. Gross Weight: 6.4Kg/Carton.




Reel For Carrier Tape



Pull Out Direction



UNIT:mm



TOLERANCE
.X ± 0.25
.XX ± 0.1
.XXX ± 0.05
ANGLES $\pm 1^\circ$

TITLE

SSL-1.1 DC JACK CONNECTOR
6-POS. W/O POST, SMT TYPE

SCALE

5:1

SIZE

A4

SHEET

2

OF

2

REV.

C

WC-REV.

C.2

QC: Inspection item

Amphenol LTW

安費諾亮泰企業股份有限公司

ITEM NO

SSL11-J6D00-000001

DWG NO

SSL11-J6D00-000001

CUSTOMER

ALTW

DRAWN BY

Fisher_Wang

CHECKED BY

Ivan_Lin

APPROVED BY

Kevin_Hu

DATE

2013-12-16



DATE

2013-12-16

DATE

2013-12-16

Pull Out Direction




MATERIALS



1. Carrier Tape: Polystyren (PS)
2. Cover Tape: Polystyren (PS)
3. Reel: Polystyren (PS)

QUANTITY




1. 1000Pcs Per Reel
2. 8 Reel Per Carton (8000Pcs/Carton)
3. Reference Standard: EIA-481-D
4. Net Weight: 2.2Kg/Carton.
5. Gross Weight: 6.4Kg/Carton.




Reel For Carrier Tape



Pull Out Direction



UNIT:mm



TOLERANCE
.X ±0.25
.XX ±0.1
.XXX ±0.05
ANGLES ±1°

TITLE

SSL-1.1 DC JACK CONNECTOR
6-POS. WITH POST, SMT TYPE

SCALE

5:1

SIZE

A4

SHEET

2

OF

2

REV.

C

WC-REV.

C.2

QC: Inspection item

Amphenol LTW

安費諾亮泰企業股份有限公司

ITEM NO

SSL11-J6C00-000001

DWG NO

SSL11-J6C00-000001

CUSTOMER

ALTW

DRAWN BY

Fisher_Wang

CHECKED BY

Ivan_Lin

APPROVED BY

Kevin_Hu

DATE

2013-12-16

DATE

2013-12-16

DATE

2013-12-16