


GSD

1205-66-5

REVISIONS	
ISSUE	CHANGES
0	ER 35550 KH 05/27/94
1	CN 35770 A KH 08/25/94
2	CN 36077 C ME 02/03/95
3	CN 36238 C ME 04/24/95
4	CN 36300 D ME 05/17/95
5	CN 36476 A KH 08/02/95



- NOTES:**
- FOR USE WITH ANDREWS FSJ4RN-50B HELIAX CABLE.
 - INTERFACE PER MIL-STD-348, FIG. 304-1.
 - MATERIALS:**
 INSULATOR- TEFLON, ASTM-D-4894
 GASKET- NEOPRENE (SOFT), BLACK
 O-RING- SYNTHETIC RUBBER, MIL-P-25732
 OUTER CONTACT } PHOS. BRONZE, ASTM-B-103
 C-RING }
 ALL OTHER PARTS- BRASS, ASTM-B16
 - FINISHES:**
 CENTER CONTACT: HARD GOLD PLATE PER MIL-G-45204
 COUPLING NUT: NICKEL PLATE PER QQ-N-290
 ALL OTHER METAL PARTS- SILVER PLATE PER QQ-S-365
 - ELECTRICAL CHARACTERISTICS:**
 NOMINAL IMPEDANCE: 50~W
 FREQUENCY RANGE: DC TO 11 GHz
 WORKING VOLTAGE: 1000 VOLTS RMS
 - WHEN THIS ITEM IS ORDERED BY BARTLEY MACHINE COMPANY, PARTS MUST BE SHIPPED IN PARTITION TYPE PACKAGING. (WITHOUT INDIVIDUAL BAGS)

JCA3088

SCALE 4:1

APPROX SURFACE AREA

USED ON

REF: BARTLEY MACHINE

PLUG, N

DRAWN JCA 09/08/92

DESIGN GA 09/09/92

APPR. DW 08/30/92

KINGS
ELECTRONICS CO., INC.
TUCKAHOE, NEW YORK 10707

1205-66-5

GSD