


DRAWING FOR QUOTATION PURPOSES ONLY. NOT TO BE WORKED TO.

ISSUE: A
BY: AG
RN: N/A
DATE: 02/06/2010

ISSUE: B
BY: AG
CN: N/A
DATE: 26/01/2011

DESCRIPTION OF LAST CHANGE
UPDATED TABLE 1



EXAMPLE PART NUMBER: **ABAC 37 W 17 35 S N**

PRODUCT SERIES _____

SHELL STYLE _____

FINISH (TABLE 2) _____

SHELL SIZE (TABLE 1) _____

INSERT ARRANGEMENT _____


CONTACT TYPE
P = PIN CONTACTS
S = SOCKET CONTACTS

ORIENTATION _____

*CONSULT FACTORY FOR CUSTOM REQUIREMENTS

SHELL SIZE	A MAX	B MAX	ØC MAX	ØD MAX
9	18.50	47.05	21.00	12.00
11	18.50	47.05	23.70	15.05
13	18.50	47.05	29.30	18.05
15	18.50	47.05	31.30	22.05
17	18.50	47.05	35.67	25.05
19	18.50	47.05	38.40	28.05
21	18.50	47.05	41.67	31.05
23	18.50	47.05	44.90	34.05
25	18.50	47.05	47.97	37.05

REF	FINISH DESCRIPTION
QB	ZINC COBALT BLACK PASSIVATE
W	OLIVE DRAB CADMIUM
Q	ZINC COBALT GREEN PASSIVATE
F	ELECTROLESS NICKEL



MODIFICATIONS MUST BE CARRIED OUT USING CAD SYSTEM

GEOMETRIC TOLERANCE SYMBOLS <table style="font-size: 8px;"> <tr><td>CHARACTERISTIC</td><td>SYM</td><td>CHARACTERISTIC</td><td>SYM</td></tr> <tr><td>STRAIGHTNESS</td><td>—</td><td>ANGULARITY</td><td>∠</td></tr> <tr><td>FLATNESS</td><td>▭</td><td>RUN OUT</td><td>↗</td></tr> <tr><td>ROUNDNESS</td><td>○</td><td>POSITION</td><td>⊕</td></tr> <tr><td>CYLINDRICITY</td><td>∩</td><td>CONCENTRICITY</td><td>◎</td></tr> <tr><td>PROFILE OF A LINE</td><td>⌒</td><td>SYMMETRY</td><td>≡</td></tr> <tr><td>PROFILE OF A SURFACE</td><td>⌒</td><td>M.M.C.</td><td>Ⓜ</td></tr> <tr><td>PARALLELISM</td><td>//</td><td>SQUARENESS</td><td>⊥</td></tr> </table> <p style="font-size: 8px;">FOR EXPLANATION OF DIMENSIONS, TOLERANCES, NOTES, ETC. SEE BS308</p>	CHARACTERISTIC	SYM	CHARACTERISTIC	SYM	STRAIGHTNESS	—	ANGULARITY	∠	FLATNESS	▭	RUN OUT	↗	ROUNDNESS	○	POSITION	⊕	CYLINDRICITY	∩	CONCENTRICITY	◎	PROFILE OF A LINE	⌒	SYMMETRY	≡	PROFILE OF A SURFACE	⌒	M.M.C.	Ⓜ	PARALLELISM	//	SQUARENESS	⊥	MATERIAL: REFER TO COMPONENT DRAWINGS TOLERANCES UNLESS OTHERWISE STATED ALL DECIMAL PLACES ± 0.1 HOLE DIAMETERS ± 0.05 ANGULAR ± 2°	▽ = CRITICAL CHARACTERISTIC ◊ = SIGNIFICANT CHARACTERISTIC (SEE AB-W07-03-01 FOR DESCRIPTION) Do not scale this drawing Variations start at 001 <div style="text-align: center; font-size: 14px; border: 1px solid black; padding: 5px;"> AB CONNECTORS LTD. A TT GROUP COMPANY </div> <p style="font-size: 10px;">DRAWN AG DATE 24/02/2010 CHKD PL</p> <p style="font-size: 10px;">THIS DRAWING MAY ONLY BE ALTERED IF THE PART REMAINS INTERCHANGEABLE. IF NOT, A NEW DRAWING NUMBER MUST BE TAKEN.</p>	TITLE: PLUG WITH INTEGRAL SCREEN & HEATSHRINK OR OVERMOULDED ADAPTOR PRODUCT DRAWING NUMBER ABAC.CDS.0005	FINISH: FINISH CODE VARN
CHARACTERISTIC	SYM	CHARACTERISTIC	SYM																																	
STRAIGHTNESS	—	ANGULARITY	∠																																	
FLATNESS	▭	RUN OUT	↗																																	
ROUNDNESS	○	POSITION	⊕																																	
CYLINDRICITY	∩	CONCENTRICITY	◎																																	
PROFILE OF A LINE	⌒	SYMMETRY	≡																																	
PROFILE OF A SURFACE	⌒	M.M.C.	Ⓜ																																	
PARALLELISM	//	SQUARENESS	⊥																																	