KR Electronics

General Description

KR Electronics part number 2753 is a 157.5 MHz elliptic type bandpass filter. The filter has a minimum 3 dB bandwidth of 55 MHz. Other center frequencies and bandwidths available. Please consult the factory.


Features

- 157.5 MHz Center Frequency
- 55 MHz min 3 dB Bandwidth
- Sharp Transition to Stopband
- 50 Ω Source and Load
- Surface Mount
- Also available with SMA connectors

Typical Performance

Overall Response

(10 dB/div)




KR Electronics, Inc. 91 Avenel Street Avenel, NJ 07001 Web Email Phone Fax www.krfilters.com sales@krfilters.com (732) 636-1900 (732) 636-1982

KR Electronics 2753

Specifications

Parameter	Specification	
Filter type	Bandpass	
Center Frequency	157.5 MHz	
Insertion Loss	< 2 dB	
3 dB Bandwidth	55 MHz min	
Rejection at 115 MHz	50 dB min	
Rejection at 200 MHz	50 dB min	
Source and Load	50 Ω	

Physical Dimensions



Notes:

- 1. Surface mount package, metal cover
- 2. Dimensions in inches
- 3. Max reflow temperature 230° C for 10 sec
- 4. If boards are cleaned after installation units must be completely dried
- 5. Also available in metal case with SMA connectors

 KR Electronics, Inc.
 Web www.krfilters.com

 91 Avenel Street
 Email sales@krfilters.com

 Avenel, NJ 07001
 Fax (732) 636-1982