

# HCD301

## 5V Low Profile OCXO with CMOS/TTL Output

- Temperature stability down to 50ppb
- Single 5V oven & oscillator supply
- Low profile compact package
- Standard European IEC CO-08 pin-out
- Custom options available



CONFIGURABLE OPTIONS	
Parameter	Option Code
Frequency	
Ageing per day (at despatch)	
Any	
< ±1x10 <sup>-8</sup>	А
< ±5x10 <sup>-9</sup>	В
Temperature stability	
Any	
< ±1x10 <sup>-7</sup>	Μ
< ±5x10 <sup>-8</sup>	Ν
Operating temperature range	
Any	
0 to +50°C	А
-20 to +60°C	D
-20 to +70°C	F
Supply voltage (V <sub>DD</sub> )	
+5.0V (±0.25V)	L






## SPECIFICATIONS

Frequency range	5.0 ~ 20.0MHz
Dimensions	36.1 x 27.2 x 15.0mm
Frequency stability	±5x10 <sup>-7</sup> per year max
	$\pm 5 \times 10^{-8}$ per 5% change in V <sub>DD</sub>
Storage	-40 to +90°C
temperature range	
Output waveform	CMOS / TTL compatible
Frequency	±5x10 <sup>-6</sup> typ (10MHz), +0.5 to +4.0V
adjustment	(sufficient for 10 years ageing min)
	Stabilised +4.0V supply provided
Power	4.5W max at switch on
consumption	< 1.0W typ when stabilised at 25°C
Warm up	±5x10 <sup>-8</sup> after 10mins at +25°C
Phase noise (@	< -105dBc/Hz @ 10Hz
10.0MHz)	< -125dBc/Hz @ 100Hz
	< -145dBc/Hz @ 1kHz
	< -150dBc/Hz @ 10kHz
	< -150dBc/Hz @ 50kHz
Shock (IEC 68-2-	50g for 11ms
27 Test Ea)	
Vibration (IEC 68-	10-55Hz, 1.5mm. 55-500Hz, 10g
2-06 Test Fc)	

## **PACKAGE DRAWING**



## **ORDERING INFORMATION**

To request a quotation for the HCD301 please use the configurable options form to choose the options you require and then submit your configured product to our team. Our expert advisers are always happy to help with your requirements and can be contacted on +44 1460 256 100 or at sales@golledge.com.

Following product selection you will be issued with a seven character Golledge part number. Your Golledge part number is the internationally accepted Golledge manufacturing part number (MPN) that should be used for all project documentation, including bills of materials (BoMs) and purchase orders.

If you have any queries regarding any of our documentation our dedicated sales team will be happy to help.

## **HANDLING & STORAGE**



Human Body Model (HBM) 1A (250V to <500V)



Moisture Sensitivity Level (MSL): 1 (or not applicable)





## CONSTRUCTION

Solder sealed metal can

## **MATERIAL COMPOSITION**



Lead-free (< 0.1% by weight )



RoHS 2 compliant with no exemptions. See our

Reach

REACH compliant. See our statement



AulTa Sn W Free of conflict minerals. See our declaration



Free of Halogens. See our declaration

Free of Ozone-depleting substances. <u>See our</u> declaration





## **OTHER INFORMATION**

#### **About Golledge**

We are the UK's leading supplier of frequency control products and are proud to serve the global electronics industry. Our philosophy is a focus firmly on your requirements by striving to meet and exceed your needs. We do this by ensuring the utmost quality and consistency in our products and services. If you have any queries about the Golledge service or any of our products please get in touch, we'd love to hear from you.

#### Come and visit

Eaglewood Park, ILMINSTER, Somerset, TA19 9DQ, England

#### Give us a call

Tel: +44 1460 256 100 Fax: +44 1460 256 101

#### Email us

sales@golledge.com

#### **Our Worldwide Distributors**

#### China, Hong Kong - 中国 / 香港 **Belgium & Luxembourg** Alcom Electronics NV/SA Meiya China Email info@alcom.be Email sales@meiyatech.com Alcom Meiya Web www.alcom.be Web www.meiyatech.com Tel +32 (0)3 458.30.33 +86 755 2823 1923 Tel France Germany **Equipments Scientifique** MEV Elektronik Service GmbH Email comp@es-france.com Email info@mev-elektronik.com Web www.es-france.com Web www.mev-elektronik.com Tel +33 1 47 95 99 89 Tel +49 54 24 23 40-0 India Israel V5 Semiconductors **Phoenix Technologies Ltd** \*\* sales@phnx.co.il Email sales@v5semiconductors.com Email Web www.phnx.co.il Web v5semiconductors.com **5**Semiconductors +972 9 764 4800 +91-80-2661 0621 Tel Tel Netherlands Norway Alcom Electronics BV Link Nordic info@alcom.nl bjorn.nyjordet@linknordic.com Email Email Alcom Web alcom.nl Web linknordic.com +31 (0)10 288.25.00 lectronics +47 93 22 68 90 Tel **Russia** - Россия Spain & Portugal EFO Ltd R.C. Microelectronica, S.A. Email elena@efo.ru Email ventas@rcmicro.es (эфо) Web Web



Tel

www.golledge.ru +7(812)327-8654 R.C. MICROELECTRÓNICA, S.A.

Tel

www.rcmicro.es +34 93 260 21 66

Our customer feedback is testament to our quality; "Never had such good service as this from anyone in 35 years of being in the industry, this is impressive and has really helped us out of a corner to keep the design flowing" Andy (Senior Design Engineer), "As always your support is state of the art" Nicoleta (Material Management), "Legendary work - as usual it has to be said" John (Operations). To take advantage of our highly praised service get in touch with us today.

