

# SMC Jack Right Angle Bulkhead Mount Connector Solder Attachment Solder Cup Terminal, .177 inch D Hole



## **RF Connectors Technical Data Sheet**

**PE4285** 

## RQJØWLRQ

- SMC Jack Connector
- MIL-STD-348
- •50 Ohms
- Right Angle Body Geometry

## )HDW**⊌**V

Gold Plated Brass Contact

- Solder Cup Interface Type
- Solder Attachment
- Bulkhead

Contact plating according to MIL-G-45204

## **\$**SOLFDWLRQV

General Purpose Test

Rack and Panel Mount Applications



Pasternack's PE4285 SMC jack right angle bulkhead mount connector solder attachment solder cup terminal, .177 inch D hole is part of our full line of RF components available for same-day shipping. Its right angle body geometry allows for easier connections in tight spaces. This SMC bulkhead connector allows designers to create external connections on their product enclosures, and can be used in a variety of other rack mount and panel mount applications.

280MDFNLJWDQJOHEØNNDGFRQQHFWR8/GDWDVNHWVSHFLFDWLRQVDQGGDZQJZW6LPHQVLRQVDHVRQEHORZ LQWLV3)3DVWHQDFNYFENDGFDWDORJRI5)PLFNDMDQGPLOOLPHWHDMFRQQHFWRWDOORZGHVLJQHWWRFRQJMDQG customize their signal connections however they like. Whether the need is to provide an I/O for a board design, or simply FHDWHDFXWRPFDEOHDVVHPEOFRQJMWLRQ3DVWHQDFNNVWNHLJWFRQQHFWRWNMRE3DVWHQDFNFDQDOVRH| build your custom cable connector assemblies for you and ship same-day.

### 0HFIQLFDO6SHFLFDWLRQV

6L]H

 Length
 0.645 in [16.38 mm]

 Width/Dia.
 0.25 in [6.35 mm]

 Height
 0.528 in [13.41 mm]

 Weight
 0.013 lbs [5.9 g]

#### 0DWHUDO6SHFLEDWLRQV

HVFLISWLRQ	0DWH <b>U</b> DO	3ODWLQJ
Contact	Brass	Gold MIL-G-45204
Insulation	PTFE	
Body	Brass	Nickel QQ-N-290

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, LQMQWRDQGFHWLEDWLRQW Jack Right Angle Bulkhead Mount Connector Solder Attachment Solder Cup Terminal, .177 inch D Hole PE4285

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 **Phone:** (866) 727-8376 or (949) 261-1920 • **Fax:** (949) 261-7451

Sales@Pasternack.com • Techsupport@Pasternack.com

