

Patch cable - VS-PNRJ45-PNRJ45-93B-1,5 - 1406400

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



PROFINET patch cable, shielded, star quad, 22 AWG stranded (7-wire), green, straight RJ45 plug/IP20 to straight RJ45 plug/IP20, length: 1.5 m

PROFINET patch cable



Key Commercial Data

| | |
|----------------------|----------|
| Packing unit | 1 STK |
| Custom tariff number | 85444210 |
| Country of origin | Poland |

Technical data

Dimensions

| | |
|-----------------|-------|
| Length of cable | 1.5 m |
|-----------------|-------|

General data

| | |
|----------------------|----------|
| Number of positions | 4 |
| Signal type/category | PROFINET |

Characteristics head 1

| | |
|-----------|---------------------------|
| Head type | Plug straight RJ45 / IP20 |
|-----------|---------------------------|

Characteristics head 2

| | |
|-----------|---------------------------|
| Head type | Plug straight RJ45 / IP20 |
|-----------|---------------------------|

Cable

| | |
|-------------------------|--------------------------------|
| Signal type/category | PROFINET CAT5 (IEC 11801:2002) |
| Cable structure | 1x4xAWG22/7; SF/TQ |
| Conductor cross section | 0.34 mm ² |

Patch cable - VS-PNRJ45-PNRJ45-93B-1,5 - 1406400


Technical data

Cable

| | |
|------------------------------------|--------------------------------|
| AWG signal line | 22 |
| Conductor structure signal line | 7x 0.25 mm |
| Core diameter including insulation | approx. 1.5 mm |
| Wire colors | White, yellow, blue, orange |
| External sheath, color | green RAL 6018 |
| Outer sheath, material | PVC |
| Conductor material | Tin-plated Cu litz wires |
| Wave impedance | 100 Ω ±15 Ω (at 1 ... 100 MHz) |

Drawings


Schematic diagram




Cable cross section



Circuit diagram



Dimensional drawing



RJ45 connector, IP20

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 272607xx |
| eCl@ss 4.1 | 27260701 |
| eCl@ss 5.0 | 27260701 |
| eCl@ss 5.1 | 27060307 |
| eCl@ss 6.0 | 27061801 |

Patch cable - VS-PNRJ45-PNRJ45-93B-1,5 - 1406400

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 7.0 | 27061801 |
| eCl@ss 8.0 | 27060308 |
| eCl@ss 9.0 | 27060308 |

ETIM

| | |
|----------|----------|
| ETIM 3.0 | EC000830 |
| ETIM 4.0 | EC000438 |
| ETIM 5.0 | EC002599 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 26121616 |
| UNSPSC 7.0901 | 26121616 |
| UNSPSC 11 | 26121604 |
| UNSPSC 12.01 | 31261501 |
| UNSPSC 13.2 | 26121616 |

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approvals submitted

Approval details

| |
|-----|
| EAC |
|-----|
