



telephone 949 252 0522



BACK

Product Category: Ceramic Resonator

Series Number	Package	Description	Last Modified
683 ~ 684	ZTACW / ZTTCW Ceramic	SMD Resonator	Jan. 01 2007

FEATURES

- Extended temperature range
- High stability
- Surface Mount Ceramic Resonator small package
- RoHs Compliant






OPERATING CONDITIONS / ELECTRICAL CHARACTERISTICS

Series No.	Туре	Fig	Frequency Range*	Frequency Accuracy	Stability in Temperature	Aging for Ten Years
			(MHz)	@25° (MHz)	-20° ~ +80°C	-
683	ZTACW	1	20.0 ~ 60.0	±0.5%	±0.3%	±0.3%
684	ZTTCW	2	20.0 ~ 60.0			

^{*}Otherr Freq. Avail. Contact Oscilent for assistance.

PACKAGE DIMENSIONS (mm)








Figure 1) ZTACW








Figure 2) ZTTCW

Test Circuit IC

Freq. $20.0 \sim 60.0 \text{ MHz}$:

IC: 1/6TC74HCU04x2

VALUES OF C1 & C2

Frequency Range (MHz)	C1 (pF)	C2 (pF)	
20.00	30	30	
20.01 ~ 25.99	15	15	
26.00 ~ 60.00	5	5	

PART NUMBER GUIDE

Pai	rt Number	Frequency	Load Capacitance	Frequency Accuracy (%)	Operating Temp (°C)	Packaging**
	683	- 20.0M	- 33	- 03	W	- TR
683 = 684 =	ZTACW ZTTCW	e.g20.0M = 20.00 MHz Std. Range = 20.0 ~ 60.0 MHz Other Freq. Avail. Contact Oscilent for assistance.	Blank* = Standard as shown in above Table or Fill in the blank e.g 33 = 33pF	Blank* = ±0.5% -03 = ±0.3%	Blank* = -20 ~ +80 -N = -40 ~ +85 -W = -40 ~ +125	Blank* = Bulk -TR = Tape/ Reel

NOTE: Deviations on all parameters available. Please consult Oscilent for details.

DEFINITIONS: Click on the characteristic names above, for definitions of the particular characteristic.

*STANDARDS: "Blank" part number selections, indicate standard variables for the particular characteristic.

**PACKAGING: Click on the packaging name above for tape/reel specifications

683 to 684

Series No.:

Oscilent Corporation - CALL **949.252.0522**18195 East McDurmott Street . Building D . Irvine . CA 92614 . USA Fax: 949.252.0599 . E-Mail: Sales@Oscilent.com

Crystal Oscillators | Quartz Crystal | TCXO | VCXO | IF SAW Filter | RF SAW Filter | Ceramic Resonator Crystal Filter | Ceramic Filter | SAW Filter / SAW Devices | Site Map