



# Introducing Solar Panel Installation Identification Labels

# Solar Panel Installation Identification labels

## KEY FEATURES

Recommended for use in identification of DC Disconnects and Inverters.

For use on painted smooth metal and textured metal surfaces.

Excellent durability in extreme outdoor elements such as UV, rain, humidity, cold and salt spray.

Four formats available.

RoHS compliant.

## DESCRIPTION

Tyco Electronics introduces label solutions for Solar Panel Installation per the National Electric Code (NEC) specification.

Labels are manufactured using ultraviolet (UV) resistant ink, permanent acrylic adhesive and base material designed to withstand environmental elements. A laminate is added to further add protection against prolonged UV exposure.

## APPLICATIONS

Renewable Energy:

Solar - DC Switches, Combiner Boxes

Wind - DC Switches

## TEMPERATURE RATING

Service Temperature:  
-51°C to 93.3°C (-60°F to 200°F)

## SPECIFICATIONS & APPROVALS

**Tyco Electronics:** TTDS-168

**Industry:** ASTM D 3652  
ASTM D 3330  
ASTM D 2979  
ASTM D 1000  
ASTM D 3759  
MIL202G, Method 215  
ASTM D3424 Method 4  
ASTM G85 Annex 5  
ASTM 81531

# Solar Panel Installation Identification labels

## ORDERING INFORMATION

Ordering Description	Label Dimensions (W X H)	Qty per Roll
CL3803-000 2 part construction	Top Label 4.12" X 0.75" Bottom Label 4.12" X 2.06"	1000
CL3804-000	4.12" X 0.75"	1000
CL3805-000	4.12" X 0.75"	1000
CL3806-000 2 part construction	Top Label 4.12" X 0.75" Bottom label 4.12" X 3.00"	1000



