



F:\DWG\MISC\MKTG\ASP-127797-01-MKT.SLDDRW BY: B RAY 08/25/2006 SHEET 2 OF 4

RECOMMENDED STENCIL LAYOUT FOR ASP-127797-01 ASP-127797-01 REVISION G STENCIL TO BE .0060[.152] THICK 1.950 [49.53] .0500 [1.270] (TYP) .050 [1.27] .150 [3.81] .250 [6.35] Ø.035[0.89] (TYP) ALL DIMENSIONS ARE SYMMETRICAL ABOUT CENTERLINE PROPRIETARY NOTE THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS PHONE: 812-944-6733 FAX: 812-948-5047 OBTAINED WITHOUT THE EXPRESSED WRITTEN e-Mail info@SAMTEC.com code 55322 CONSENT OF SAMTEC, INC.

SHEET SCALE: 1.5:1

.050 PITCH TERMINAL ARRAY ASSEMBLY

ASP-127797-01

BY: BRAY

08/25/2006 | SHEET 3 OF 4

:\DWG\MISC\MKTG\ASP-127797-01-MKT.SLDDRW

