

UNISONIC TECHNOLOGIES CO., LTD

UUDZ 12B Preliminary DIODE


ZENER DIODE

DESCRIPTION

The UTC UUDZ 12B is a surface mount silicon Zener Diode using UTC's advanced technology to provide customers with low power dissipation.

FEATURES


- * Low Power Dissipation: 200mW
- * Zener Voltage (Min.=11.74V, Max.=12.24V)
- * High reliability




ORDERING INFORMATION

Ordering Number		Dookogo	Pin Assignment		Dooking
Lead Free	Halogen Free	Package	1	2	Packing
UUDZ 12BL-CB2-R	UUDZ 12BG-CB2-R	SOD-323	Α	K	Tape Reel

Note: Pin Assignment: A: Anode, K: Cathode



MARKING



www.unisonic.com.tw 1 of 2 QW-R601-067.a

■ ABSOLUTE MAXIMUM RATINGS (T_A=25°C)

PARAMETER	SYMBOL RATINGS		UNIT
Power dissipation	P_D	200	mW
Junction Temperature	TJ	150	°C
Operating Temperature	T _{OPR}	-55~150	°C
Storage Temperature	T _{STG}	-55~150	°C

Note: Absolute maximum ratings are those values beyond which the device could be permanently damaged. Absolute maximum ratings are stress ratings only and functional device operation is not implied.

■ ELECTRICAL CHARACTERISTICS (T_A=25°C)

PARAMETER	SYMBOL	TEST CONDITIONS	MIN	TYP	MAX	UNIT
Zener Voltage	V_Z	I _Z =5mA	11.74		12.24	V
Dynamic Inpedance	Z_Z	I _Z =5mA			30	Ω
Dynamik Knee Impedance	Z_{ZK}	I _Z =0.5mA			80	Ω
Reverse Current	IR	V _R =9V			0.1	μΑ

UTC assumes no responsibility for equipment failures that result from using products at values that exceed, even momentarily, rated values (such as maximum ratings, operating condition ranges, or other parameters) listed in products specifications of any and all UTC products described or contained herein. UTC products are not designed for use in life support appliances, devices or systems where malfunction of these products can be reasonably expected to result in personal injury. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice.