





LOC	DIST	REVISIONS			
		REV	DATE	BY	APPV
GP	00	F	REVISED PER ECO-13-002771	23FEB2013	KH RP



- 1 MATERIAL:  
CONTACT - PHOS BRONZE  
HOUSING - LCP, UL 94V-0, COLOR - BLACK
- 2 FINISH:  
CONTACT AREA FINISH CONFORMS TO THE REQUIREMENTS OF TE PRODUCT SPECIFICATION 108-2303; BASED ON TELCORDIA GR-1217-CORE FOR SYSTEM QUALITY LEVEL III, APPLICATIONS IN CONTROLLED ENVIRONMENTS (CENTRAL OFFICE).  
COMPLIANT PIN AREA- 0.5µm MIN MATTE TIN OVER 1.27µm MIN NICKEL.
- 3 CONNECTOR MARKED WITH PART NUMBER, DATE CODE AND STANDARD IN APPROXIMATE AREA SHOWN
- 4 DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 5 CONTACT AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT. TECHNICAL REFERENCE GR-1217-CORE, ISSUE 1, NOVEMBER 1995.
- 6 REFERENCE APPLICATION SPEC 114-13202 FOR RECOMMENDED PLATED THRU HOLE DIAMETER AND PLATING THICKNESSES.

6  $\varnothing$  0.10  $\oplus$  X Y  
FINISHED HOLE SIZE AND PLATED THRU HOLES



○ = SIGNAL  
⊗ = GROUND  
RECOMMENDED PC BOARD LAYOUT BACKPLANE, COMPONENT SIDE SHOWN  
SCALE 6:1

1934305-1  
PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: B. MCMASTER 13JUN2007	TE Connectivity	
DIMENSIONS: mm		CHK: W. DAVIS 13JUN2007	NAME: HEADER ASSEMBLY, OPEN ENDED, 4 PAIR 8 COLUMN TinMan	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: W. DAVIS 13JUN2007	SIZE: CAGE CODE: DRAWING NO: RESTRICTED TO	
0 PLC	±	PRODUCT SPEC	A100779C=1934305	
1 PLC	±	APPLICATION SPEC	SCALE 10:1 SHEET 1 OF 1 REV F	
2 PLC	±	WEIGHT	CUSTOMER DRAWING	
3 PLC	±	ANGLES		
4 PLC	±			