



[View Cart ::](#)

[Checkout ::](#)

BSF780 Series **1-Chip** Sunlight-Visible Clear **Cylindrical Lens** Indicators

11/16" (17.5mm) Relampable Panel Mount LED Lamps

[1-LED, Dome Lens](#)


[7-LED, Dome Lens](#)

[1-LED, Flat Lens](#)

[7-LED, Flat Lens](#)

[\(See Special Notes\)](#)


All dimensions in inches [mm]



Mark To Order	Part Number	Retail Price (Volume Discount Available)	Min. Order Qty	Input Volts (V)	LED Intensity I _v (mcd) typ	Current I _f (mA) typ	Wave Length (nm)	LED Full Angle
Sunlight Visible Ultra Red (660nm) (1-chip) GaAlAs Tinted-Clear Lens								
	BSF780-0UR-006V	\$17.95ea	5	5	120	18-20	660	120°
	BSF780-0UR-028B	\$17.95ea	5	24/28	90	12-15	660	120°
	BSF780-0UR-120A	\$17.95ea	5	120VAC	45	6-8	660	120°
	BSF780-0UR-130B	\$17.95ea	5	130B	45	6-8	660	120°
Sunlight Visible Super Orange (610nm) (1-chip) InGaAlP Tinted-Clear Lens								
	BSF780-0UO-006V	\$17.95ea	5	5	266	18-20	610	120°
	BSF780-0UO-028B	\$17.95ea	5	24/28	200	12-15	610	120°
	BSF780-0UO-120A	\$17.95ea	5	120VAC	100	6-8	610	120°
	BSF780-0UO-130B	\$17.95ea	5	130B	100	6-8	610	120°
Sunlight Visible Super Yellow (585nm) (1-chip) InGaAlP Tinted-Clear Lens								
	BSF780-0UY-006V	\$17.95ea	5	5	250	18-20	595	120°
	BSF780-0UY-028B	\$17.95ea	5	24/28	187	12-15	595	120°
	BSF780-0UY-120A	\$17.95ea	5	120VAC	94	6-8	595	120°
	BSF780-0UY-130B	\$17.95ea	5	130B	94	6-8	595	120°
Sunlight Visible Super Incand. White (1-chip) (4500k) SiC/GaN Water-Clear Lens								
	BSF780-0IW-006V	\$19.95ea	5	5	133	15-20	4500K	120°
	BSF780-0IW-028B	\$19.95ea	5	24/28	100	12-15	4500K	120°
	BSF780-0IW-120A	\$19.95ea	5	120VAC	50	6-8	4500K	120°

BSF780-0IW-130B		\$19.95ea	5	130B	50	6-8	4500K	120°
Sunlight Visible Super Cool White (1-chip) (8000k) SiC/GaN Water-Clear Lens								
BSF780-0CW-006V		\$19.95ea	5	5	400	15-20	8000K	120°
BSF780-0CW-028B		\$19.95ea	5	24/28	300	12-15	8000K	120°
BSF780-0CW-120A		\$19.95ea	5	120VAC	150	6-8	8000K	120°
BSF780-0CW-130B		\$19.95ea	5	130B	150	6-8	8000K	120°
Sunlight Visible Super A.Green (1-chip) (525nm) SiC/GaN Tinted-Clear Lens								
BSF780-0AG-006V		\$19.95ea	5	5	666	15-20	525	120°
BSF780-0AG-028B		\$19.95ea	5	24/28	500	12-15	525	120°
BSF780-0AG-120A		\$19.95ea	5	120VAC	250	6-8	525	120°
BSF780-0AG-130B		\$19.95ea	5	130B	250	6-8	525	120°
Sunlight Visible Super Blue (1-chip) (470nm) SiC/GaN Tinted-Clear Lens								
BSF780-0PB-006V		\$19.95ea	5	5	233	15-20	470	120°
BSF780-0PB-028B		\$19.95ea	5	24/28	175	12-15	470	120°
BSF780-0PB-120A		\$19.95ea	5	120VAC	87	6-8	470	120°
BSF780-0PB-130B		\$19.95ea	5	130B	87	6-8	470	120°

Standard Configuration for Online Ordering



Call factory to order these components or options

Lens Cap
LCF780
 (Order at bottom of page)

Lamp
BF321-0XX
 Go to lamp order page)
[UR,UO](#), [UY,CW,IW](#)
[UG,AG](#) [PB](#)

Holder
HLDR-BS780 (Mil# 76/1)
 \$7.95ea (Min Order Qty 5)


Watertight Options
 for Lens Cap & Holder

LCF780W-XXX
 (Watertight)
 Call factory to order watertight lens cap

HLDR-BS780-WP
 \$10.45ea (Min Order Qty 5)
 (Watertight)
 See Below

Standard Holder

Optional Holders Call factory to order these options



HLDR-BS780
 Silver Body

BS780S
 Silver Body
 Screw Terminals

HLDR-BS780-WP
 Silver Body
 Watertight


HLDR-BS780S-WP
 Silver Body
 Watertight Screw Terminals

Black Body Options (not illustrated)

BS780B
 Black Body

BS780BS
 Black Body
 Screw Terminals

HLDR-BS780BS-WP
 Black Body
 Watertight Screw Terminals

Flat, Cylindrical Lens Caps To order lens caps only: <i>Choose either a:</i> <i>Water clear lens cap,</i> <i>Diffused white lens cap, or</i> <i>Lens cap with its color matching the lamp's color</i>		Mark To Order	Standard Flat Cylindrical Lens	Retail Price	Min Order Qty	Lens Type Color
			LENS-LCF780-CRF	\$0.60ea	10	Clear Red
			LENS-LCF780-CAF	\$0.60ea	10	Clear Orange
			LENS-LCF780-CYF	\$0.60ea	10	Clear Yellow
			LENS-LCF780-CGF	\$0.60ea	10	Clear Green
			LENS-LCF780-CWF	\$0.60ea	10	Water Clear
			LENS-LCF780-TWF	\$0.60ea	10	Diffused White

(Click here for dome lenses)

Special Notes for Custom Configurations:

- 1) For custom OEM large quantity applications, other angles of illumination available.
- 2) For custom OEM large quantity applications for reducing battery drain, low-current versions available.
- 3) For custom OEM large quantity applications, New Technology Sunlight Visible wide angle Multichips available
- 4) For custom OEM large quantity applications, Standard Intensity wide angle Multichips available
- 5) For custom OEM large quantity applications, 2-Terminal Type Bi-Colors available

23105 Kashiwa Ct, Torrance, CA 90505 - PH: (800) 579-4875/(310) 534-1505 - FAX: (310) 534-1424
 © Copyright 1997-2003 LEDtronics, Inc. All Rights Reserved - Contact Webmaster@ledtronics.com

i2 Technologies US, Inc.

HTML Pages converted to PDF Document

This document contain component information from the manufacturer's website which are not available in a revision controlled document from the manufacturer. To facilitate the addition of these parts into the Electronics Database, we are converting the HTML pages related to that part, from the manufacturer's website into Adobe PDF format. The contents of this document is based on the information provided on the manufacturer's website, therefore the information may have been changed by the manufacturer since this was created.

